# MP-2000-210

**العلامة التجارية:** ري المسطحات الخضراء

**خط المنتجات:** الرشاشات الدوارة النوزلات

**طراز المنتج:** نوزل الرشاش الدوار MP Rotator القياسي

**وحدة الاحتفاظ بالمخزون:** MP2000210

**الوصف:** نوزل الرشاش الدوار MP Rotator، معدل ترسيب: 10 ملم/ساعة، نصف قطر: من 4 إلى 6.4 م، قوس ري قابل للضبط من 210 إلى 270 درجة، سن حلزوني أنثى، أخضر

## Operating Specifications

**Arc:** 210° to 270°

**Operating Pressure:** 2.8 بار؛ 280 كيلو باسكال

**Precipitation Rate:** 10 ملم/ساعة

**Radius:** 5.2 إلى 6.4 م

**Flow:** 0.17 إلى 0.23 م³/ساعة؛ 2.84 إلى 3.83 لتر/دقيقة

## Shipping Information

**UPC-A:** 0611698152805

**الكمية/الحقيبة:** 10/200

**لوح محيطي:** 38400

**لوح أرضي:** 32000

**كرتونة رئيسية:** 200

## Additional Information

**خيار قوس الري:** 210º - 270º

**معدل الترسيب:** Approx 0.4 in/hr

**نصف القطر:** 13' – 21'

## MP ROTATOR PERFORMANCE DATA

### MP1000

**Radius:**2.5 to 4.5 m
Adjustable Arc & Full Circle
**Maroon:** 90° to 210°
**Lt. Blue:** 210° to 270°
**Olive:** 360°

| Arc | Pressure | | | | Radius | Flow | | Precip mm/hr | |
|---|---|---|---|---|---|---|---|---|---|
| | bar | kPa | | | m | m³/hr | l/min | ■ | ▲ |
| 90° | 1.7 | 170 | | | ... | ... | ... | ... | ... |
| | 2.0 | 200 | | | 3.7 | 0.04 | 0.61 | 11 | 12 |
| | 2.5 | 250 | | | 4.0 | 0.04 | 0.68 | 10 | 12 |
| | 2.8 | 280 | | | 4.1 | 0.04 | 0.70 | 10 | 11 |
| | 3.0 | 300 | | | 4.3 | 0.04 | 0.73 | 10 | 11 |
| | 3.5 | 350 | | | 4.4 | 0.05 | 0.78 | 10 | 11 |
| | 3.8 | 380 | | | 4.6 | 0.05 | 0.81 | 9 | 11 |
| 180° | 1.7 | 170 | | | ... | ... | ... | ... | ... |
| | 2.0 | 200 | | | 3.7 | 0.07 | 1.20 | 11 | 12 |
| | 2.5 | 250 | | | 4.0 | 0.08 | 1.35 | 10 | 12 |
| | 2.8 | 280 | | | 4.1 | 0.08 | 1.40 | 10 | 11 |
| | 3.0 | 300 | | | 4.3 | 0.09 | 1.46 | 10 | 11 |
| | 3.5 | 350 | | | 4.4 | 0.09 | 1.56 | 10 | 11 |
| | 3.8 | 380 | | | 4.6 | 0.10 | 1.62 | 9 | 11 |
| 210° | 1.7 | 170 | | | ... | ... | ... | ... | ... |
| | 2.0 | 200 | | | 3.7 | 0.09 | 1.41 | 11 | 13 |
| | 2.5 | 250 | | | 4.0 | 0.10 | 1.58 | 10 | 12 |
| | 2.8 | 280 | | | 4.1 | 0.10 | 1.63 | 10 | 11 |
| | 3.0 | 300 | | | 4.3 | 0.10 | 1.71 | 10 | 11 |
| | 3.5 | 350 | | | 4.4 | 0.11 | 1.82 | 10 | 11 |
| | 3.8 | 380 | | | 4.6 | 0.11 | 1.89 | 9 | 11 |
| 270° | 1.7 | 170 | | | ... | ... | ... | ... | ... |
| | 2.0 | 200 | | | 3.7 | 0.11 | 1.80 | 11 | 13 |
| | 2.5 | 250 | | | 4.0 | 0.12 | 2.05 | 10 | 12 |
| | 2.8 | 280 | | | 4.1 | 0.13 | 2.10 | 10 | 11 |
| | 3.0 | 300 | | | 4.3 | 0.13 | 2.20 | 10 | 11 |
| | 3.5 | 350 | | | 4.4 | 0.14 | 2.35 | 10 | 11 |
| | 3.8 | 380 | | | 4.6 | 0.15 | 2.45 | 9 | 11 |
| 360° | 1.7 | 170 | | | ... | ... | ... | ... | ... |
| | 2.0 | 200 | | | 3.5 | 0.14 | 2.40 | 12 | 14 |
| | 2.5 | 250 | | | 4.0 | 0.16 | 2.69 | 10 | 12 |
| | 2.8 | 280 | | | 4.1 | 0.17 | 2.81 | 10 | 12 |
| | 3.0 | 300 | | | 4.3 | 0.18 | 2.94 | 10 | 11 |
| | 3.5 | 350 | | | 4.4 | 0.19 | 3.17 | 10 | 11 |
| | 3.8 | 380 | | | 4.5 | 0.20 | 3.25 | 10 | 11 |

### MP2000

**Radius:**4.0 to 6.4 m
Adjustable Arc & Full Circle
**Black:** 90° to 210°
**Green:** 210° to 270°
**Red:** 360°

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

https://www.hunterirrigation.com/ar/irrigation-product/nwzl-alrshash-aldwar-mp-rotator-alqyasy/mp-2000-210101626