

MP-3000-360

Brand: Landscape Irrigation

Product Line: MP Rotator Nozzles

Product Model: Standard MP Rotator® Nozzle

SKU: MP3000360

Description: MP Rotator Nozzle, 0.4 in/hr precipitation rate, 22' to 30' radius, 360° arc, female thread, gray

Operating Specifications

Arc: 360°

Operating Pressure: 40 PSI

Precipitation Rate: 0.4 in/hr

Radius: 27' to 30'

Flow: 3.15 to 4.27 GPM; 189.0 to 256.2 GPH

Shipping Information

UPC-A: 0611698152843

Qty. / Bag: 10/200

Ocean Pallet: 38400

Land Pallet: 32000

Master Carton: 200

Additional Information






Arc: 360°

Precipitation Rate: Approx 0.4 in/hr

Radius: 22' – 30'


MP1000



Radius: 8' to 15'
Adjustable Arc & Full Circle
Maroon: 90° to 210°
Lt. Blue: 210° to 270°
Olive: 360°

Arc	Pressure		Radius	Flow		Precip in/hr	
	PSI			ft	GPM	GPH	■
90° 	30		12	0.17	10.2	0.45	0.52
	35		13	0.19	11.4	0.43	0.50
	40		14	0.21	12.6	0.41	0.48
	45		14	0.23	13.8	0.45	0.52
	50		15	0.25	15.0	0.43	0.49
	55		15	0.27	16.2	0.46	0.53
180° 	30		12	0.34	20.4	0.45	0.52
	35		13	0.38	22.8	0.43	0.50
	40		14	0.42	25.2	0.41	0.48
	45		14	0.44	26.4	0.43	0.50
	50		15	0.50	30.0	0.43	0.49
	55		15	0.51	30.6	0.44	0.50
210° 	30		12	0.40	24.0	0.46	0.53
	35		13	0.45	27.0	0.44	0.51
	40		14	0.49	29.4	0.41	0.48
	45		14	0.51	30.6	0.43	0.50
	50		15	0.57	34.2	0.42	0.48
	55		15	0.59	35.4	0.43	0.50
270° 	30		12	0.48	28.8	0.43	0.49
	35		13	0.53	31.8	0.40	0.46
	40		14	0.63	37.8	0.41	0.48
	45		14	0.67	40.2	0.44	0.51
	50		15	0.72	43.2	0.41	0.47
	55		15	0.75	45.0	0.43	0.49
360° 	30		12	0.69	41.4	0.46	0.53
	35		13	0.77	46.2	0.44	0.51
	40		14	0.84	50.4	0.41	0.48
	45		14	0.88	52.8	0.43	0.50
	50		15	0.98	58.8	0.42	0.48
	55		15	1.01	60.6	0.43	0.50

MP2000








Radius: 13' to 21'
Adjustable Arc & Full Circle
Black: 90° to 210°
Green: 210° to 270°
Red: 360°

Arc	Pressure		Radius	Flow		Precip in/hr	
	PSI			ft	GPM	GPH	■
90° 	30		18	0.38	22.8	0.45	0.52
	35		19	0.40	24.0	0.43	0.49
	40		20	0.43	25.8	0.41	0.48
	45		21	0.46	27.6	0.40	0.46
	50		21	0.47	28.2	0.41	0.47
	55		21	0.48	28.8	0.42	0.48

180° 	30	Black	17	0.64	38.4	0.43	0.49
	35		18	0.71	42.6	0.42	0.49
	40		19	0.77	46.2	0.41	0.47
	45		20	0.85	51.0	0.41	0.47
	50		21	0.91	54.6	0.40	0.46
	55		21	0.95	57.0	0.41	0.48
210° 	30	Green	17	0.75	45.0	0.43	0.49
	35		18	0.81	48.6	0.41	0.48
	40		19	0.86	51.6	0.39	0.45
	45		20	0.91	54.6	0.38	0.43
	50		21	0.98	58.8	0.37	0.42
	55		21	1.01	60.6	0.38	0.44
270° 	30	Green	17	0.95	57.0	0.42	0.49
	35		18	1.03	61.8	0.41	0.47
	40		19	1.10	66.0	0.39	0.45
	45		20	1.17	70.2	0.38	0.43
	50		21	1.23	73.8	0.36	0.41
	55		21	1.30	78.0	0.38	0.44
360° 	30	Red	17	1.28	76.8	0.43	0.49
	35		18	1.37	82.2	0.41	0.47
	40		19	1.48	88.8	0.39	0.46
	45		20	1.57	94.2	0.38	0.44
	50		21	1.68	100.8	0.37	0.42
	55		21	1.74	104.4	0.38	0.44

MP3000

Radius: 22' to 30'
Adjustable Arc & Full Circle
Blue: 90° to 210°
Yellow: 210° to 270°
Grey: 360°

Arc	Pressure PSI		Radius ft	Flow		Precip in/hr	
				GPM	GPH		
90° 	30	Blue	27	0.76	45.6	0.40	0.46
	35		28	0.82	49.2	0.40	0.46
	40		30	0.86	51.6	0.37	0.42
	45		30	0.90	54.0	0.39	0.44
	50		30	0.95	57.0	0.41	0.47
	55		30	1.01	60.6	0.43	0.50
180° 	30	Blue	27	1.58	94.8	0.42	0.48
	35		28	1.70	102.0	0.42	0.48
	40		30	1.82	109.2	0.39	0.45
	45		30	1.93	115.8	0.41	0.48
	50		30	2.04	122.4	0.44	0.50
	55		30	2.13	127.8	0.46	0.53
210° 	30	Yellow	27	1.84	110.4	0.42	0.48
	35		28	1.99	119.4	0.42	0.48
	40		30	2.12	127.2	0.39	0.45
	45		30	2.25	135.0	0.41	0.48
	50		30	2.37	142.2	0.43	0.50
	55		30	2.49	149.4	0.46	0.53
270° 	30	Yellow	27	2.37	142.2	0.42	0.48
	35		28	2.55	153.0	0.42	0.48
	40		30	2.73	163.8	0.39	0.45
	45		30	2.89	173.4	0.41	0.48
	50		30	3.06	183.6	0.44	0.50
	55		30	3.22	193.2	0.46	0.53
360° 	30	Grey	27	3.15	189.0	0.42	0.48
	35		28	3.40	204.0	0.42	0.48
	40		30	3.64	218.4	0.39	0.45
	45		30	3.86	231.6	0.41	0.48
	50		30	4.07	244.2	0.44	0.50
	55		30	4.27	256.2	0.46	0.53

Copyright © 2026 Hunter Industries Inc. Hunter, the Hunter logo, and other marks are trademarks of Hunter Industries Inc., registered in the U.S. and certain other countries.

<https://www.hunterirrigation.com/irrigation-product/standard-mp-rotatorrr-nozzle/mp-3000-360>
051926